

Canterbury LiDAR 1m DSM (2018-2019)

Metadata

File Identifier

608a1d9c-c1a5-d43b-150a-da154d09b644

Language

eng

Character Set

Character Set Code

utf8

Hierarchy Level

Scope Code

dataset

Hierarchy Level Name

dataset

Contact

Responsible Party

Organisation Name

Toitū Te Whenua Land Information New Zealand

Position Name

Lidar Coordination Manager

Contact Info

Contact

Phone

Telephone

Voice

04 4600110

Address

Address

Delivery Point

155 The Terrace

City

Wellington

Postal Code

6145

Country

New Zealand

Electronic Mail Address

customersupport@linz.govt.nz

Role

Role Code

pointOfContact

Date Stamp

Date

2020-12-15

Metadata Standard Name

ANZLIC Metadata Profile: An Australian/New Zealand Profile of AS/NZS ISO 19115:2005, Geographic information - Metadata

Metadata Standard Version

1.1

Reference System Info

Reference System

Reference System Identifier

Identifier

Code

2193

Identification Info

Data Identification

Citation

Citation

Title

Canterbury LiDAR 1m DSM (2018-2019)

Date

Abstract

This layer contains the DSM for LiDAR data in the Canterbury Region including Amuri Plain, Ashburton, Fairlie Foothills, Pegasus, Motunau, Selwyn North, Selwyn South and Waimate captured between 2018 and 2019. - The DEM is available as layer [Canterbury LiDAR 1m DEM (2018-2019)] (<https://data.linz.govt.nz/layer/104931>). - The index tiles are available as layer [Canterbury LiDAR 1m Index Tiles (2018-2019)](<https://data.linz.govt.nz/layer/104828>). - The LAS point cloud and vendor project reports are available from [OpenTopography] (<https://portal.opentopography.org/datasets?loc=New%20Zealand>). LiDAR was captured for Environment Canterbury Regional Council by Aerial Surveys between March 2018 and May 2019. These datasets were generated by Aerial Surveys and their subcontractors. Data management and distribution is by Toitū Te Whenua Land Information New Zealand. Data comprises: - DEM: tif or asc tiles in NZTM2000 projection, tiled into a 1:1,000 tile layout - DSM: tif or asc tiles in NZTM2000 projection, tiled into a 1:1,000 tile layout - Point cloud: las tiles in NZTM2000 projection, tiled into a 1:1,000 tile layout Pulse density specification is at a minimum of 2 pulses/square metre. Vertical datum is NZVD2016

Status

Progress Code

completed

Point Of Contact

Responsible Party

Organisation Name

Toitū Te Whenua Land Information New Zealand

Position Name

Lidar Coordination Manager

Contact Info

Contact

Phone

Telephone

Voice

04 4600110

Address

Address

Delivery Point

155 The Terrace

City

Wellington

Postal Code

6145

Country

Australia

Electronic Mail Address

customersupport@linz.govt.nz

Role

Role Code

pointOfContact

Resource Maintenance

Maintenance Information

Maintenance And Update Frequency

Maintenance Frequency Code

notPlanned

Resource Format

Format

Name

*.xml

Version

Unknown

Descriptive Keywords

Keywords

Keyword

New Zealand

Type

Keyword Type Code

theme

Thesaurus Name

Citation

Title

ANZLIC Jurisdictions

Date

Edition

Version 2.1

Edition Date

Date

2008-10-29

Identifier

Identifier

Code

<http://asdd.ga.gov.au/asdd/profileinfo/anzlic-jurisdic.xml#anzlic-jurisdic>

Cited Responsible Party

Responsible Party

Organisation Name

ANZLIC the Spatial Information Council

Role

Role Code

custodian

Resource Constraints

Security Constraints

Classification

Classification Code

unclassified

Resource Constraints

Legal Constraints

Use Limitation

Copyright in this work is owned by Environment Canterbury Regional Council © Environment Canterbury Regional Council

Use Constraints

Restriction Code

copyright

Resource Constraints

Legal Constraints

Use Limitation

Released by LINZ under Creative Commons Attribution 4.0 New Zealand (CC BY 4.0) with:
Following Attribution: "Sourced from the LINZ Data Service and licensed by Environment
Canterbury Regional Council, for re-use under CC BY 4.0." For details see:
<https://www.linz.govt.nz/data/licensing-and-using-data/attributing-elevation-or-aerial-imagery-data>

Use Constraints

Restriction Code

license

Spatial Representation Type Code

grid

Representative Fraction

Denominator

Integer

1000

Language

eng

Character Set
Character Set Code
utf8

Topic Category Code
elevation

Extent

EX_ Extent

Geographic Element

EX_ Geographic Description

Identifier

Authority

Citation

Title

ANZMet Lite Country codelist

Date

Edition

Version 1.0

Edition Date

Date

2009-03-31

Identifier

Identifier

Code

<http://asdd.ga.gov.au/asdd/profileinfo/anzlic-country.xml#Country>

Cited Responsible Party

Responsible Party

Organisation Name

ANZLIC the Spatial Information Council

Role

Role Code

custodian

Code

nzl

Extent

EX_ Extent

Geographic Element

EX_ Geographic Bounding Box

170.693663485173.117108076-44.9512550581-42.6388714576

Distribution Info

Distribution

Transfer Options

Digital Transfer Options

On Line

Online Resource

Linkage

URL

<https://data.linz.govt.nz/layer/104936-canterbury-lidar-1m-dsm-2018-2019/>

Data Quality Info

DQ _ Data Quality

Scope

DQ _ Scope

Level

Scope Code

dataset

Level Description

Scope Description

Other

dataset

Lineage

LI _ Lineage

Statement

Data Acquisition: Airborne Laser Scanner (ALS) data was acquired from a fixed wing aircraft between 14th March 2018 and 1st May 2019, using Aerial Surveys Optech Orion H300 + Optech Prime Galaxy LiDAR systems. Please refer to survey reports for survey specifications. Please refer to survey reports for data processing. Please refer to survey reports for benchmark and base station information. The POS data was combined with the LiDAR range files and used to generate LIDAR point clouds in NZTM and ellipsoidal heights. This process was undertaken using Optech LMS LiDAR processing software. The data was checked for completeness of coverage. The relative fit of data in the overlap between strips was also checked. Please refer to survey reports for height accuracy summary statistics. The positional accuracy of the LiDAR data has been checked by overlaying Sounds Surveying Ltd surveyed data over the LiDAR data displayed coded by intensity. The data was found to fit well in position. The point cloud data was then classified with TerraSolid LiDAR processing software into ground and above ground returns using automated routines tailored to the project landcover and terrain. All product deliverables supplied in terms of NZTM map projection and NZVD2016 vertical datum. Classification of the point cloud followed the classification scheme below: 1 - Unclassified 2 - Ground 7 - Noise 9 - Water 12 - Overlap Above_Ground (14) points was reclassified by LINZ as Unassigned classification (1) before providing the classified point cloud data to Open Topography. Lakes and large rivers were hydroflattened in the Bare Earth Digital Elevation Model. The deliverables to LINZ were: 1m gridded bare earth digital elevation model (DEM) 1m gridded digital surface model (DSM) Classified point cloud

Metadata Constraints

Legal Constraints

Access Constraints

Restriction Code

license

Metadata Constraints

Legal Constraints

Use Limitation

Copyright of this work is owned by Toitū Te Whenua Land Information New Zealand © LINZ

Use Constraints

Restriction Code

copyright

Metadata Constraints

Legal Constraints

Use Limitation

Released by LINZ under Creative Commons Attribution 4.0 International (CC BY 4.0) with:
Following Attribution: "Sourced from the LINZ Data Service and licensed for reuse under CC BY 4.0" For details see <https://www.linz.govt.nz/data/licensing-and-using-data/attributing-linz-data>

Use Constraints
Restriction Code
license