

West Coast 0.4m Rural Aerial Photos (2009-2011)

Metadata

File Identifier

116f85d1-5afd-3b69-f818-1da6ab4a8e96

Language

eng

Character Set

Character Set Code

utf8

Hierarchy Level

Scope Code

dataset

Hierarchy Level Name

dataset

Contact

Responsible Party

Organisation Name

LINZ - Land Information New Zealand

Position Name

National Imagery Manager

Contact Info

Contact

Phone

Telephone

Voice

04 4600110

Address

Address

Delivery Point

155 The Terrace

City

Wellington

Postal Code

6145

Country

New Zealand

Electronic Mail Address

info@linz.govt.nz

Role

Role Code

pointOfContact

Date Stamp

Date

2014-04-14

Metadata Standard Name

ANZLIC Metadata Profile: An Australian/New Zealand Profile of AS/NZS ISO 19115:2005, Geographic information - Metadata

Metadata Standard Version

1.1

Reference System Info

Reference System

Reference System Identifier

Identifier

Code

2193

Identification Info

Data Identification

Citation

Citation

Title

West Coast 0.4m Rural Aerial Photos (2009 - 2011)

Date

Abstract

Orthophotography for the West Coast region taken during 2009 to 2011. Coverage encompassed ~60% of the West Coast Regional councils area. Imagery was captured for the 'MW-Lass (Manawatu-Wanganui LASS Limited)' by NZ Aerial Mapping Ltd, 208 Warren Street, PO Box 6, Hastings 4156, New Zealand Data has subsequently been provided to LINZ and this comprises: • 1,623 x ortho-rectified RGB GeoTIFF images in NZTM projection, tiled into the LINZ Standard 1:5,000 tile layout. • Tile layout in NZTM projection containing relevant information. The supplied imagery is in terms of New Zealand Transverse Mercator (NZTM) map projection. The products are tiled into NZTopo50 1:5,000 tiles. Please refer to the supplied tile layout shape file for specific details, naming conventions, etc. Imagery supplied as 40cm pixel resolution (0.4m GSD), 3-band (RGB) uncompressed GeoTIFF. The final spatial accuracy is +/-2.5m (@ 90% confidence). Index tiles for this dataset are available as layer [West Coast 0.4m Rural Aerial Photos Index Tiles (2009 - 2011)](<http://data.linz.govt.nz/layer/1894>)

Status

Progress Code

completed

Point Of Contact

Responsible Party

Organisation Name

LINZ - Land Information New Zealand

Position Name

National Imagery Manager

Contact Info

Contact

Phone

Telephone

Voice
04 4600110

Address
Address
Delivery Point
155 The Terrace
City
Wellington
Postal Code
6145
Country
New Zealand
Electronic Mail Address
info@linz.govt.nz

Role
Role Code
pointOfContact

Resource Format

Format
Name
*.xml

Version
Unknown

Resource Constraints

Security Constraints
Classification
Classification Code
unclassified

Resource Constraints

Legal Constraints

Use Limitation

Released under Creative Commons Attribution 4.0 International Creative Commons Attribution 4.0 International Link: <http://data.linz.govt.nz/license/attribution-4-0-international/> Attribution Required for Copies: "Copyright in this work is owned by NZ Aerial Mapping Limited, and is used under licence by Land Information New Zealand." Attribution Required for Derivative works "Copyright in the underlying dataset from which this work has been derived is owned by NZ Aerial Mapping Limited, and is used under licence by Land Information New Zealand."

Access Constraints

Restriction Code

copyright

Resource Constraints

Legal Constraints

Use Limitation

Released under Creative Commons Attribution 4.0 International Creative Commons

Attribution 4.0 International Link: <http://data.linz.govt.nz/license/attribution-4-0-international/>
Attribution Required for Copies: "Copyright in this work is owned by NZ Aerial Mapping Limited, and is used under licence by Land Information New Zealand." Attribution Required for Derivative works "Copyright in the underlying dataset from which this work has been derived is owned by NZ Aerial Mapping Limited, and is used under licence by Land Information New Zealand."

Use Constraints

Restriction Code

copyright

Resource Constraints

Legal Constraints

Use Limitation

Released under Creative Commons Attribution 4.0 International.

Use Constraints

Restriction Code

license

Spatial Representation Type Code

grid

Representative Fraction

Denominator

Integer

5000

Language

eng

Character Set

Character Set Code

utf8

Topic Category Code

imageryBaseMapsEarthCover

Extent

EX _ Extent

Geographic Element

EX _ Geographic Bounding Box

168.56458511172.446158154-44.0832066669-41.104854196

Distribution Info

Distribution

Transfer Options

Digital Transfer Options

On Line

Online Resource

Linkage

URL

<https://data.linz.govt.nz/layer/51928-west-coast-04m-rural-aerial-photos-2009-2011/>

Data Quality Info

DQ _ Data Quality

Scope

DQ _ Scope

Level

Scope Code

dataset

Level Description
Scope Description
Other
dataset

Lineage

LI_Lineage Statement

Data Acquisition: The project area covered much of the local authority areas of Buller DC, Grey DC & Westland DC, primarily coastal & productive farmland. The eastern areas of the region - along the western boundary of the Southern Alps - were not captured due to costs implications & a lack of demand for new imagery in those areas (most of which are under Dept of Conservation jurisdiction). The coverage flown is approximately 14,100 sq km. The NZAM numbers pertaining to this photographic survey are Sn50850 & Sn50887P. Digital imagery was collected between March 2010 - March 2011 (see photocentre shape file for specific frame dates), using NZ Aerial Mapping's Microsoft UCX & UCXp large-format digital cameras. The imagery was collected flying between 18,000' - 22,000' above mean ground, using 60% forward & 30% minimum overlaps. Collected imagery was cloud-free, sun angle of not less than 30-degrees. A total of 3,625 frames were accepted for final processing into orthos. During the aerial data acquisition use was made of a mixture of NZAM-established geodetic marks (NZAM0018 at Westport Airport) & LINZ-maintained geodetic marks B8CY (Tatere Stream) & 6787 (Inangahua). NZAM's Rockwell Commander 690, Aero Commander 680 & Cessna 402 aircraft were used for the survey. ~30 hours 'on-survey' flying time was required to complete the photography. Data Processing: Image Processing was undertaken following QA of the flown photography. Initial check's included ensuring there is was no evidence of cloud, cloud-shadow, smoke, haze or other issues which may cause problems during downstream processing. Imagery was then converted from 'Level 0' (readable only in the proprietary image software) into 'Level 3' - raw, uncorrected RGB imagery. Aerial Triangulation (AT) followed. This process relates one frame to the next, then one run to the next until a continuous 'parallax-free' block of photography is created. Introduction at this point of the surveyed ground control helps 'tie' the block of photography to true ground coordinates from which mapping then commences. NZAM use UltraMap v2.3 & ORIMA software for the image processing & AT components. 36 x photo-identifiable detail points were surveyed, post-photography, via Vince Belgrave of Sounds Surveying Ltd, Picton. Trigs and other existing control from previous projects were used to strengthen the block adjustment or as independent checks on position during final QA of the orthos. DTM creation was undertaken by NZAM's Indian-based subcontractors - Genesys International Corporation once AT was complete. Each pair of overlapping photographs was viewed in a stereo environment and a terrain model created for that portion of the earth's surface. Pixel matching & auto-correlation techniques were used - as they are a quick & efficient method of achieving the desired result. Manual checks by stereo compilation staff were done to ensure gross errors were corrected & the DTM accurately reflected the terrain surface. Final DTM's took the form of breaklines (along ridges, valleys & sharp terrain changes) and masspoints (individual xyz points) to infill & add density to the ground model. A Triangulated Irregular Network (TIN) was then created & used for the ortho-rectification process. Ortho-rectification is the process of removing (from the image) the effects of camera tip / tilt & displacement caused by terrain relief. During this process each frame is 'draped' over the terrain model, the photograph then becomes 'scaled' & 'levelled' and in terms of true ground coordinates. Mosaic lines between frames were created, edited (normally along physical features such as roads, rivers, ridges or similar geographical features) & used during the final 'stitching' of frames together. Tiling was then done into the agreed tile layout & rectified imagery output in the appropriate formats.

Metadata Constraints

Legal Constraints Use Limitation

Copyright 2011 Crown copyright (c) Land Information New Zealand and the New Zealand Government. All rights reserved.

Use Constraints
Restriction Code
copyright

Metadata Constraints

Legal Constraints

Use Limitation

Released under Creative Commons Attribution 4.0 International.

Use Constraints
Restriction Code
license