

# Otago LiDAR Index Tiles (2016)

## Metadata

### File Identifier

57CC131D-3D44-4BB7-8F93-07035B5FD14D

### Language

eng

### Character Set

#### Character Set Code

utf8

### Hierarchy Level

#### Scope Code

dataset

### Hierarchy Level Name

dataset

## Contact

### Responsible Party

#### Organisation Name

LINZ - Land Information New Zealand

#### Position Name

Lidar Coordination Manager

### Contact Info

#### Contact

##### Phone

###### Telephone

###### Voice

04 4600110

##### Address

###### Address

###### Delivery Point

155 The Terrace

###### City

Wellington

###### Postal Code

6145

###### Country

New Zealand

**Electronic Mail Address**

info@linz.govt.nz

**Role****Role Code**

pointOfContact

**Date Stamp****Date**

2019-05-14

**Metadata Standard Name**ANZLIC Metadata Profile: An Australian/New Zealand Profile of AS/NZS ISO 19115:2005,  
Geographic information - Metadata**Metadata Standard Version**

1.1

**Reference System Info****Reference System****Reference System Identifier****Identifier****Code**

2193

**Identification Info****Data Identification****Citation****Citation****Title**

Otago LiDAR Index Tiles (2016)

**Date****Abstract**

This layer contains the Index Tiles for LiDAR data from the Otago Region captured in 2016. - The DEM is available as layer [Otago LiDAR 1m DEM (2016)] (<https://data.linz.govt.nz/layer/99123-otago-lidar-1m-dem-2016/>). - The DSM is available as layer [Otago LiDAR 1m DSM (2016)] (<https://data.linz.govt.nz/layer/99196-otago-lidar-1m-dsm-2016/>). - The LAS point cloud and vendor project reports are available from [OpenTopography] (<http://opentopo.sdsc.edu/datasets>). Lidar was captured for Otago Regional Council by Aerial Surveys in March and April 2016. The datasets were generated by Aerial Surveys and their subcontractors. Data management and distribution is by Land Information New Zealand. Data comprises: - DEM: tif or asc tiles in NZTM2000 projection, tiled into a 1:1,000 tile layout - DSM: tif or asc tiles in NZTM2000 projection, tiled into a 1:1,000 tile layout - Point cloud: las tiles in NZTM2000 projection, tiled into a 1:1,000 tile layout Pulse density is 2 pulses/square metre. Refer to individual survey reports for accuracy statistics. Vertical datum is NZVD2016.

Status

Progress Code

completed

Point Of Contact

Responsible Party

Organisation Name

LINZ - Land Information New Zealand

Position Name

Lidar Coordination Manager

Contact Info

Contact

Phone

Telephone

Voice

04 4600110

Address

Address

Delivery Point

155 The Terrace

City

Wellington

Postal Code

6145

Country

New Zealand

Electronic Mail Address

info@linz.govt.nz

Role

Role Code

pointOfContact

Resource Maintenance

Maintenance Information

Maintenance And Update Frequency

Maintenance Frequency Code

notPlanned

Resource Format

Format

Name

\*.xml

Version

Unknown

Descriptive Keywords

Keywords

Keyword

New Zealand

Type

Keyword Type Code

theme

Thesaurus Name

Citation

Title

ANZLIC Jurisdictions

Date

Edition

Version 2.1

Edition Date

Date

2008-10-29

Identifier

Identifier

Code

<http://asdd.ga.gov.au/asdd/profileinfo/anzlic-jurisdic.xml#anzlic-jurisdic>

Cited Responsible Party

Responsible Party

Organisation Name

ANZLIC the Spatial Information Council

Role

Role Code

custodian

Resource Constraints

Security Constraints

Classification

Classification Code

unclassified

Resource Constraints

Legal Constraints

Use Limitation

Copyright in this work is owned by Otago Regional Council © Otago Regional

Council

Use Constraints

Restriction Code

copyright

Resource Constraints

Legal Constraints

Use Limitation

Released by LINZ under Creative Commons Attribution 4.0 New Zealand (CC BY 4.0) with: Following Attribution: "Sourced from the LINZ Data Service and licensed by Otago Regional Council, for re-use under CC BY 4.0." For details see: <https://www.linz.govt.nz/data/licensing-and-using-data/attributing-elevation-or-aerial-imagery-data>

Use Constraints

Restriction Code

license

Spatial Representation Type Code

vector

Representative Fraction

Denominator

Integer

1000

Language

eng

Character Set

Character Set Code

utf8

Topic Category Code

elevation

Extent

EX\_ Extent

Geographic Element

EX\_ Geographic Description

Identifier

Authority

Citation

Title

ANZMet Lite Country codelist

Date

Edition

Version 1.0

Edition Date

Date

2009-03-31

Identifier

Identifier

Code

<http://asdd.ga.gov.au/asdd/profileinfo/anzlic-country.xml#Country>

Cited Responsible Party

Responsible Party

Organisation Name

ANZLIC the Spatial Information Council

Role

Role Code

custodian

Code

nzl

Data Quality Info

DQ \_ Data Quality

Scope

DQ \_ Scope

Level

Scope Code

dataset

Level Description

Scope Description

Other

dataset

Lineage

LI \_ Lineage

Statement

Data Acquisition: Airborne Laser Scanner (ALS) data was acquired from a fixed wing aircraft on: March and April 2016 using Aerial Surveys OptechOrion H300 LiDAR system. Survey Specifications: Please refer to original survey reports. Data processing: The LiDAR sensor positioning and orientation (POS) was determined using the collected GPS/IMU datasets and Applanix POSPac software. Benchmark: Please refer to original survey reports. Base Stations: Please refer to original survey reports. Benchmarks: Please refer to original survey reports. Base Station Positions: Please refer to original survey reports. Antenna Height: Please refer to original survey reports. The POS data was combined with the LiDAR range files and used to generate LIDAR point clouds in NZTM and ellipsoidal heights. This process was undertaken using Optech LMS LiDAR processing software. The data was checked for completeness of coverage. The relative fit of data in the overlap between strips was also

checked. The height accuracy of the ground classified LiDAR points please refer to original survey reports. For the specification accuracy of the classified LiDAR points please refer to original survey reports. The positional accuracy of the LiDAR data has been checked by overlaying Sounds Surveying Ltd surveyed data over the LiDAR data displayed coded by intensity. The data was found to fit well in position. The point cloud data was then classified with TerraSolid LiDAR processing software into ground and above ground returns using automated routines tailored to the project landcover and terrain. For Point Classification Scheme please refer to the original survey reports. All product deliverables are supplied in terms of NZTM map projection. For the classification scheme of the point cloud please refer to the original survey reports. Re-processing: In 2018 the data was reprocessed by Aerial Surveys for LINZ relative to the NZVD2016 vertical datum, and supplied as 1:1000 nominal scale (2500 720m high x 480m wide subtiles per full NZ Topo50 sheet). Breaklines have been used where required to ensure hydro flattening on the DEM products. Lakes and large rivers were hydroflattened in the Bare Earth Digital Elevation Model. The deliverables to LINZ were: 1m gridded bare earth digital elevation model (DEM) 1m gridded digital surface model (DSM) Classified point cloud Reprocessed Point Cloud Data was reclassified by LINZ, points classified as 3 - Above Ground were reclassified to 1 - Unassigned. Classification of the Point Cloud available on Open Topography are as follows; 1 - Unassigned 2 - Ground

#### Metadata Constraints

##### Legal Constraints

###### Use Limitation

Copyright of this work is owned by Land Information New Zealand © LINZ

###### Use Constraints

###### Restriction Code

copyright

#### Metadata Constraints

##### Legal Constraints

###### Use Limitation

Released by LINZ under Creative Commons Attribution 4.0 International (CC BY 4.0) with: Following Attribution: "Sourced from the LINZ Data Service and licensed for reuse under CC BY 4.0" For details see <https://www.linz.govt.nz/data/licensing-and-using-data/attributing-linz-data>

###### Use Constraints

###### Restriction Code

license